Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28	("20050063420" "20050066061" "20050086079" "20050272275" "5291399" "5465082" "5594786" "5689229" "5822544" "6009333" "6259355" "6344794" "6462656" "6539393" "6825763" "6876303" "6958706" "6972683" "7042337" "7080061" "7154397" "20020044059" "20020183979" "20030132845" "20040193449" "20050035862" "20050151641" "20050168341" "20020282459").pn.	US-PGPUB; USPAT	OR	OFF	2007/07/25 16:23
S2	0	Bridgewater adj Systems.as.	US-PGPUB; USPAT	OR	OFF.	2007/07/25 13:59
S4	1	re37531.pn.	US-PGPUB; USPAT	OR	OFF	2007/07/25 14:54
S5	983	(713/165 713/167).ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/27 12:59
S6	983	(713/165 713/167).ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/25 14:56
S7	865	(713/165 713/167).ccls. and (@ad<"20040331" or @rlad<"20040331" or @prad<"20040331")	US-PGPUB; USPAT	OR	OFF	2007/07/25 14:56
S8 .	2992	(determin\$ "if" check\$ indicat\$) with (protect\$ confidential\$ secur\$ sensitive) with (data information) with (encrypt\$ encipher\$)	US-PGPUB; USPAT	OR	OFF ·	2007/07/25 14:58
\$ 9	901134	(receiv\$ transmit\$) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/25 15:16
S10	18	S8 same S9 and S7	US-PGPUB; USPAT	OR	OFF	2007/07/25 15:15
S11	2108	(store storing) with sensitive with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/25 15:16
S12	2899	(store storing) with (confidential sensitive) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/25 15:23
S13	2203	(ecrypt\$ encipher\$) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/25 15:43
S14	2	S12 same S13	US-PGPUB; USPÁT	OR	OFF	2007/07/25 15:16
S16	1	"6061790".pn. and (confidential sensitive) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/25 16:53
S17	8	("4200770" "4405829" "4649233" "4956863" "5202921" "5241594" "5535276" "5953420").pn.	US-PGPUB; USPAT	OR 1	OFF	2007/07/25 15:43

		1	•			
S18	3	(ecrypt\$ encipher\$) with (data information) with (sensitive confidential) and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/25 15:44
S19	1	"20050223222"	US-PGPUB; USPAT	OR	OFF	2007/07/27 12:57
S25	5451	medical adj record\$1	US-PGPUB; USPAT	OR	OFF	2007/07/25 16:53
S26	1326	S25 and (confidential sensitive) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/25 16:53
S27	96	S25 and (flag\$3 indicat\$) with (confidential sensitive) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/25 16:54
S28	81	S27 and (@ad<"20040331" or @rlad<"20040331" or @prad<"20040331")	US-PGPUB; USPAT	OR	OFF	2007/07/25 16:55
S29	44730	receiv\$3 with (data information) with (encrypt\$3 encod\$3) near3 (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/27 12:58
S30	244	(713/165 713/167).ccls. and S29	US-PGPUB; USPAT	OR	OFF	2007/07/27 18:55
S31	1	(INTEGRATED with SECURE with ARCHITECTURE with DELIVERY with COMMUNICATIONS with SERVICES with HOSPITAL).ti.	US-PGPUB; USPAT	OR	OFF	2007/07/27 14:10
S32	5	graves.in. and (HOSPITAL).ti.	US-PGPUB; USPAT	OR	OFF	2007/07/27 14:10
S33	1785	(save write) with (data information) with (encrypt\$ encipher\$)	US-PGPUB; USPAT	OR	OFF	2007/07/27 18:55
S34	142	(save write)with command with (data information) with (encrypt\$ encipher\$)	US-PGPUB; USPAT	OR	OFF	2007/07/27 18:57
S35	260	(save write drop)with (file directory) with (data information) with (encrypt\$ encipher\$)	US-PGPUB; USPAT	OR	OFF	2007/07/27 18:58
S36	54	(save write drop)with (directory) with (file data information) with (encrypt\$ encipher\$)	US-PGPUB; USPAT	OR	OFF	2007/07/27 19:00
S37	9024	(confidential sensitive protect\$) with indicat\$ with (information data)	US-PGPUB; USPAT	OR	OFF	2007/07/27 19:02
S38	1600	705/51.ccls.	US-PGPUB; USPAT	OR	OFF	2007/07/27 19:02
S39	84	S37 and S38	US-PGPUB; USPAT	OR	OFF	2007/07/27 19:51
S40	1	"20020161996"	US-PGPUB; USPAT	OR	OFF	2007/07/27 19:38

S41	34	write with protect\$ with (sensitive confidential) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/27 20:02
S42	17	mobile with (information data) with(sensitive confidential) with (store\$ save\$) with (encipher\$ encrypt\$)	US-PGPUB; USPAT	OR	OFF	2007/07/27 20:04
S43	4698	(indicat\$) with (confidential sensitive classified) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/07/27 20:09
S44	1026	(indicat\$) near5 ((confidential sensitive classified) near3 (data information))	US-PGPUB; USPAT	OR	OFF	2007/07/27 21:00
S45	2411	(encrypt\$) near5 ((confidential sensitive classified) near3 (data information))	US-PGPUB; USPAT	OR	OFF	2007/07/27 21:00
S46	18	S44 same S45	US-PGPUB; USPAT	OR	OFF	2007/07/27 20:20
S47	. 13	("20020069361" "20020129261" "20030005317" "20030023845" "20030044019" "20030115450" "20030204738" "20030217288" "20040005061" "20040022391" "20040054914" "6052466" "6381699").pn.	US-PGPUB; USPAT	OR	OFF	2007/07/27 20:38
S50	1	"20020112167"	US-PGPUB; USPAT	OR	OFF	2007/07/27 20:59
S51	176	(indicat\$) near5 ((confidential sensitive classified) near3 (data information))	EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:00
S52	330	(encrypt\$) near5 ((confidential sensitive classified) near3 (data information))	EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:00
S54	7	S51 and S52	EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:12
S56	1314	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:43
S58	. 22	713/189.ccls. and encrypt\$ and bus and write adj command	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:14
S59	0	713/189.ccls. and encrypt\$ with write adj commandand and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2007/07/27 21:22

			<u>-</u>			
S60	0	encrypt\$ with write adj commandand and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:23
S61	1139	encrypt\$ with write and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2007/07/27 21:23
<u>.</u> S62	138	encrypt\$ with write with (instruction command) and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:36
S63	1024	encrypt\$ with mobile and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:36
S64	377	mobile and encrypt\$ with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:47
S65	. 15	(mobile and encrypt\$ with bus).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:37
S66	1	cell adj phone and (encrypt\$ with bus).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:45
S68	383	CPU with encrypt\$ with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:47
S69	447	processor with encrypt\$ with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:47
S70	25	processor with encrypt\$ with bus with (write save)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:51
S71	11	EFC and encrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:54
S73	119	EFS and encrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:54

S74	37	S73 and bus with memory with (CPU processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:55
S75	1483	(encrypt\$ encipher\$) and (health\$ HIPAA medical) and bus with memory with (CPU processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 21:56
S76	206	(encrypt\$ encipher\$) same (health\$ HIPAA medical) and bus with memory with (CPU processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:00
S78	513	(encrypt\$ encipher\$) with (confidential sensitive) and bus with memory with (CPU processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:01
S79	60	(encrypt\$ encipher\$) with (confidential sensitive) and bus with memory with (CPU processor) and medical near5 record\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:05
S80	2	"4780905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:05
S81	48	"4780905"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:08
S82	27	EFS with windows	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:16
S83	0	"200300287".pn. and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:16
S84	0	"200300287".pn. and (encrypt\$ encipher\$ decrypt\$ decipher\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:17
S85	2	"20030028765".pn. and (encrypt\$ encipher\$ decrypt\$ decipher\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:18
S86	4 .	("5,007,082" "4,780,905").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF .	2007/07/27 22:19

		·				
S87	163	(encrypt with (write save)) same (decrypt with read)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:41
S88	158	(encrypt with (write save)) same (decrypt with read)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:46
S89	128	S88 and ((CPU processor) bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:21
S90	94	S88 and ((CPU processor) and bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:36
S91	2	"20020138747"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:37
S92	8	("5596639" "5058162" "5191611" "5666411").pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:38
S93	6	(read adj command) same (decrypt with read)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:41
S94	8	(read adj command) same (decrypt with (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:42
S95	987	EFS	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:42
S96	10968	encrypt\$ with (data information) with storage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:42
S97	3987	decrypt\$ with encrypt\$ with (data information) with storage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:43
598	610	(decrypt\$ with encrypt\$ with (data information) with storage).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:43
S99	24	S98 and (S56 medical with record\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/27 22:43

	11.		Ţ	·		,
S10 0	16	(encrypt\$2 with save) same (decrypt\$2 with read)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:53
S10 1	3502	PGP	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:53
S10 2	1768	PGP and encrypt\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:53
S10 3	286	PGP and encrypt\$ with module	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:53
S10 4	223	PGP and encrypt\$ near4 module	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:54
S10 5	994	encrypt\$ adj decrypt\$ near4 module	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:54
S10 6	281	S105 and read same write	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:55
S10 7	250	S106 and storage	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:58
S10 8	3567	read near5 decrypt\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:59
S10 9	324085	(computer PC).ti.	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 22:59
S11 0	1	read near5 decrypt\$ with (sensitive confidential) and S109	US-PGPUB; USPAT; DERWENT	ÖR	OFF	2007/07/27 23:00
S11 1	8	read near5 decrypt\$ same (sensitive confidential) and S109	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 23:07
S11 2	2	"5677952".pn. and encrypt\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/27 23:09
S11 3	46	"5677952"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/30 12:37
S11 4	5505	((Application adj Specific adj Integrated adj Circuit) (ASIC)) with (performance cheapper expensive faster speed effective)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/30 12:40

S11 5	21	(((Application adj Specific adj Integrated adj Circuit) (ASIC)) with (performance cheapper expensive faster speed effective)).ab. and (encrypt\$ cipher encipher\$)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/30 12:46
S11 6	136	(((Application adj Specific adj Integrated adj Circuit) (ASIC))).ab. and (encrypt\$ cipher encipher\$)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/30 12:46
S11 7	65	(((Application adj Specific adj Integrated adj Circuit) (ASIC)) and (encrypt\$ cipher encipher\$)).ab.	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/30 12:46
S11 8	91	(encryption cipher) adj module.ab.	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:30
S11 9	22	((encryption cipher) adj module same memory).ab.	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:25
S12 0	1905	713/193.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:30
S12	74	S120 and (encryption cipher) adj (component module)	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:31
S12 2	16	S120 and (encryption cipher) adj (component module) with memory	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:34
S12 3	11	713/165 and (encryption cipher) adj (component module) with memory	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:34
S12 4	27	(713/165 713/153 713/192 713/194).ccls. and (encryption cipher) adj (component module) with memory	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:37
S12 5	108	(713/192).ccls. and memory	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:19
S12 6	2	("5805706" "5812671").pn.	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:44
S12 7	5	("4558176" "4588991" "4864494" "4905277" "5381480").pn.	US-PGPUB; USPAT	OR	OFF	2007/08/10 14:55
S12 8	5	("5001755" "5381480" "5410602" "5475757" "5680461").pn.	US-PGPUB; USPAT	OR .	OFF	2007/08/08 14:43
S12 9	6	("5860099" "5838165" "6240514" "6389533" "20020114453" "20030115447" "61991636356637"). pn. wo-200201368-\$.did.	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:52

S13 0	32	("4467444" "4584665" "4698750" "5099516" "5101498" "5144659" "5175840" "5191608" "5224166" "5251304" "5255244" "5282247" "5349249" "5351216" "5379433" "5386469" "5388157" "5396609" "5473692" "5539828" "5568552" "5751809" "5796840" "5805706" "5805712" "5818939" "5828453" "5884246" "5961593" "60236510" "6061789" "6263362" "6266704"). pn.	US-PGPUB; USPAT	OR	OFF	2007/08/08 14:55
S13 1	1	"5818939".pn. and crypto\$	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:02
S13 2	. 23	"5818939"	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:04
S13 3	99	(713/192).ccls. and memory and (cipher encipher\$ encrypt\$ encod\$ scrambl\$)	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:37
S13 4	11	"5249232"	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:28
S13 6	1	"6901516".pn. and cipher\$ adj circuit	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:31
S13 7	4	"6901516"	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:33
S13 8	4	("5799201" "6067595" "6093213" "6134591").pn.	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:33
S13 9	151	(713/191).ccls. and memory and (cipher encipher\$ encrypt\$ encod\$ scrambl\$)	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:38
S14 0	1452	(713/193).ccls. and memory and (cipher encipher\$ encrypt\$ encod\$ scrambl\$)	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:38
S14 1	711	(713/193).ccls. and memory with key\$1 and (cipher encipher\$ encrypt\$ encod\$ scrambl\$)	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:39
S14 2	484	(713/193).ccls. and memory with key\$1 with (cipher encipher\$ encrypt\$ encod\$ scrambl\$)	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:40
S14 4	338	(713/193).ccls. and memory with key\$1 with (cipher encipher\$ encrypt\$ encod\$ scrambl\$) and (cipher encipher\$ encrypt\$ encod\$ scrambl\$).ab.	US-PGPUB; USPAT	OR	OFF	2007/08/08 15:40

		LAST Searc				
S14 5	83	(713/193).ccls. and memory with key\$1 with (cipher encipher\$ encrypt\$ encod\$ scrambl\$) and (cipher encipher\$ encrypt\$ encod\$ scrambl\$).ti.	US-PGPUB; USPAT	OR	OFF	2007/08/08 16:18
S14 6	1	"6373960".pn. and random	US-PGPUB; USPAT	OR	OFF	2007/08/08 16:33
S15 0	3	("20020026503" "20020087877" "5898830").pn.	US-PGPUB; USPAT	OR	OFF	2007/08/09 09:40
S15 4	1256	virtual adj disk	US-PGPUB; USPAT	OR	OFF	2007/08/10 20:59
S15 5	44	virtual adj disk with mount\$	US-PGPUB; USPAT	OR	OFF	2007/08/10 21:00
S15 6	2	virtual adj disk with mount\$ same (encipher\$ encrypt\$ cipher)	US-PGPUB; USPAT	OR	OFF	2007/08/10 21:02
S15 7	16	virtual adj disk with mount\$ and (encipher\$ encrypt\$ cipher)	US-PGPUB; USPAT	OR ·	OFF	2007/08/10 21:02
S15 8	220	(terminat\$ disconnect\$ finish\$) with (encrypt\$ encipher\$ encod\$) with (files folder director\$ disk)	US-PGPUB; USPAT	OR	OFF	2007/08/10 21:08
S16 0	0	"6963979".pn. and key\$ same memory	US-PGPUB; USPAT	OR	OFF	2007/08/19 15:16
S16 1	1	"6963979".pn. and key\$	US-PGPUB; USPAT	OR	OFF	2007/08/19 15:20
S16 2	1	"6963979".pn. and asic	US-PGPUB; USPAT	OR	OFF	2007/08/19 15:26
S16 4	8	("5677952" "5289397" "5631960" "5923893" "6182104" "6320964" "6327661" "6378072").pn.	US-PGPUB; USPAT	OR	OFF	2007/08/19 15:38
S16 5	16	("4177355" "4275265" "452952" "4543646" "4764959" "5473692" "5539828" "5568552" "5633932" "5751809" "5757915" "5796840" "5802176" "5805706" "5805712" "5828753" "6028939").pn.	US-PGPUB; USPAT	OR	OFF	2007/08/19 15:44
S16 6	193	(key\$1 with (volatile adj memory ram)) and 713/189.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/19 15:46
S16 7	77	(key\$1 with (volatile adj memory ram)) and 713/189.ccls. and (encrypt\$ cipher encod\$) with (module card accelerator)	US-PGPUB; USPAT	OR	OFF	2007/08/19 15:47
S16 8	20	(encrypt\$ cipher encod\$) with (module card accelerator) same (key\$1 with (volatile adj memory ram)) and 713/189.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:23
S16 9	7695	(encrypt\$ cipher encod\$) adj4 (mode)	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:15

		·				
S17 0	1022	(encrypt\$ cipher) adj (mode)	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:15
S17	371	(encrypt\$ cipher) adj (mode) with (select\$4 identif\$4 indicat\$)	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:16
S17 2	0	(encrypt\$ cipher) adj (mode) with (select\$4 identif\$4 indicat\$) same (key\$1 with (volatile adj memory ram)) and 713/189.ccls.	US-PGPUB; USPAT	OR	OFF .	2007/08/19 16:16
S17 3	. 1	(encrypt\$ cipher) adj (mode) with (select\$4 identif\$4 indicat\$) and (key\$1 with (volatile adj memory ram)) and 713/189.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:22
S17 4	41	(encrypt\$ cipher) adj (mode) with (select\$4 identif\$4 indicat\$) and (key\$1 with (volatile adj memory ram))	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:17
S17 5	1343	713/189.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:22
S17 6	10	(encrypt\$ cipher encod\$) with (module card accelerator) same (key\$1 with (volatile adj memory ram)) and 713/192.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:26
S17 7	120	713/192.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:26
S17 9	35	(encrypt\$ cipher encod\$) with (module card accelerator) same (key\$1 with (volatile adj memory ram)) and 713/193.ccls.	US-PGPUB; USPAT	OR	OFF	2007/08/19 16:52